
Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010005-4

PHOTOGRAPHIC INTERPRETATION REPORT



NPIC/R-9/65

January 1965








NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER


25X1D



SECRET
Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010005-4

GROUP 1
Excluded from automotic dewngrading and declassification

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010005-4



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2000/05/10_{SECR}A-RDP78B04560A004500010005-4

NPIC/R-9/65

PREFACE

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY

25X1D

COVERING LAOS.
ITEMS ARE ARRANGED IN THREE SECTIONS ---

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECTION III PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH SECTION ARE ARRANGED 1) ACCORDING TO SUBJECT, 2) WITHIN THE SUBJECT BY WAC AREA, AND 3) WITHIN THE WAC AREA BY

Approved For Release 2000/05/10_{SECREA}-RDP78B04560A004500010005-4

NPIC/R-9/65

GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L509, SCALE 1/250,000, L004, 1/50,000, AND THE ATC SERIES 200, SCALE 1/200,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010005-4 SECTION I THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVI-OUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

Approved For Release 2000/05/10 E_{RET} -RDP78B04560A004500010005-4

NPIC/R-9/65

	Target	Coordinates WAC			Numbers	
	· · · · · · · · · · · · · · · · · · ·			BE	NPIC	
•	-LAOS- AIR INSTALLATIONS	8)				
25X1D	BAN HOUEI SANE AREA, LANDING STRIP 1.0 NM NNW OF BAN HOUEI SANE. ESTIMATED 2,400 X 100 FT N/S GRADED EARTH RUNWAY, UNDER CONSTRUCTION. AIRCRAFT — NONE OBSERVED.	1637N 10633E	Ø617		217-C	
25X1D 25X1A 25X1D	TIONG CONE AIRFIELD WEST EDGE OF TIONG CONE AT UTM UG479469. 700 X 70 FT E/W SOD RUNWAY, UNSERVICEABLE. AIRCRAFT — NONE OBSERVED. COMOR TARGET NO	1924N 1Ø333E	Ø617	25X1A	445-D	
25X1A 25X1D	BAN SOP PAT AREA AIRFIELD APPROXIMATELY 6.8 NM SW OF BAN SOP PAT. ESTIMATED 1,500 FT E/W SOD LANDING STRIP. AIRCRAFT NONE OBSERVED. COMOR TARGET NO	1946N 10349E	Ø617		491	
25X1D	MILITARY INSTALLATIONS BAN KHA DAP, PROBABLE MILITARY CAMP NO APPARENT CHANGE AT PROBABLE MILITARY CAMP SINCE MISSION PREVIOUSLY REPORTED ABANDONED STRONGPOINTS NOT COVERED.	1627N 1Ø63ØE	Ø617		411	

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010005-4 SECRET

NPIC/R-9/65

	Target	Coordinates		Coordinates WAC		Target Numbers		
	i argei	Coord	inares	WAC	BE	NPIC		
25X1D	25X1D BAN HOUEI SANE, MILITARY AREAS AREAS A AND C NOT COVERED. AREA B NO APPARENT CHANGE SINCE MISSION	1636N	1Ø632E	Ø617		217		
25X1A	BAN NA HI, MILITARY AREA Ø.3 NM NE OF BAN NA HI AT UTM XD215523. ROAD-SERVED MILITARY AREA CONTAINS AT LEAST 21 DISPERSED BARRACKS/STORAGE BUILDINGS, PARTIALLY OBSCURED BY TREES WITHIN A WOODED AREA. HEAVY, WHEELED TRACK ACTIVITY AT ENTRANCE INDICATES AREA IS ACTIVE. VILLAGE OF BAN KENG KHAN MAI, Ø.6 NM NNW AT UTM XD213533, CONTAINS A MILITARY AREA WITH APPROXIMATELY 2Ø DISPERSED DWELLINGS/SHEDS INTER-CONNECTED BY FOOT PATHS, NUMEROUS V-SHAPED TRENCHES, AND SEVERAL AW/AAA POSITIONS. TWO OTHER AW/AA POSITIONS OBSERVED BETWEEN THE ROAD-SERVED MILITARY AREA AND THE VILLAGE. POST STRIKE PHOTOGRAPHY REVEALED 5 BUILDINGS DESTROYED, 2 OF WHICH WERE BURNING. (SEE ATTACHMENT 1) COMOR TARGET NO	1645N	10608E	Ø617		359		
25X1D					25X1A			
25X1D	NA NHOM ARMY BARRACKS NORTH EDGE OF NA NHOM AT UTM WD784838. AREA SUBJECTED TO AIR STRIKE ON 2 JAN 64. PHOTOGRAPHIC COVERAGE AS FOLLOWS — PRE-STRIKE PHOTOGRAPHY FROM MISSION	1702N	10544E	Ø617 ·		271		

Approved For Release 2000/05/10 ECREA-RDP78B04560A004500010005-4

NPIC/R-9/65

	Target	Coordinates		WAC	Target	Target Numbers	
	ruige:	Coora	inares	WAC	BE	NPIC	
25X1D 25X1D 25X1D 25X1D	REVEALED NO APPARENT CHANGE SINCE STRIKE PHOTOGRAPHY FROM MISSION REVEALED NUMEROUS PROBABLE ROCKET AND BOMB BURSTS IN THE MILITARY AREA. TWO STRIKE AIRCRAFT OBSERVED ATTACKING						
25X1D	TARGET. POST-STRIKE PHOTOGRAPHY FROM REVEALED THE PREVIOUSLY UNDAMAGED 11 BUILDINGS ARE NOW DAMAGED OR DESTROYED (1 DESTROYED, 6 EXTENSIVELY DAMAGED, AND 4 DAMAGED TO A LESSER EXTENT). OF THE 2 PREVIOUSLY DAMAGED BUILDINGS, 1 HAS BEEN DESTROYED, AND 1 HAS				,	=	
25X1D	BEEN DAMAGED MORE EXTENSIVELY. NUMEROUS CRATERS OBSERVED THROUGHOUT. (SEE ATTACHMENT 2)	-		r.	25X1A	•	
25X1D 25X1A 25X1D	LAK SAO ARMY BARRACKS IN THE HALF OF THE RECTANGULAR TRENCHED AREA COVERED BY PHOTOGRAPHY, NO APPARENT CHANGE SINCE MISSION COMOR TARGET NO	1811N	10459E	Ø617	÷	113-A	
	TIONG CONE AREA, STRONGPOINTS FOUR TRENCH-SECURED STRONGPOINTS EXTENDING FROM TIONG CONE SOUTHWARD FOR 1.Ø NM.	1924N -	10333E	Ø617 :		445 - F∜	
	STRONGPOINT A (UTM UG483468) AT LEAST 7 BUILDINGS.		*				

Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010005-4 SECRET

NPIC/R-9/6:

	-			Target Numbers		
	Target	Coordinates	Coordinates WAC		NPIC	
	STRONGPOINT B (UTM UG480460) AT LEAST 5 BUILDINGS. STRONGPOINT C (UTM UG480456) AT LEAST 5 BUILDINGS. ONE BOMB CRATER OBSERVED ON SOUTHERN EDGE OF AREA.					
25X1D	STRONGPOINT D (UTM UG48Ø452) AT LEAST 8 BUILDINGS.	-		25X1A		
25X1D 25X1A 25X1D	KHANG KHAI MILITARY HQ AND BARRACKS P/L FORCES ONE NM NE OF KHANG KHAI. NO APPARENT CHANGE IN FACILITIES IN AREA COVERED SINCE MISSION APPROXIMATELY 20 CARGO TRUCKS OBSERVED. COMOR TARGET NO	1930N 10315E	Ø617	25/1/4	3Ø9-A	
	ROUTE 8					
25X1D	SINGLE-LANE, NATURAL SURFACE, SEASONAL ROAD, SERVICEABLE AND IN FAIR CONDITION, OBSERVED FROM 18-11N 104-59E TO 17-58N 105-03E AND FROM 17-54N 105-03E TO 17-52N 105-03E. NO VEHICLES OBSERVED.					

Approved For Release 2000/05/10_{SEGRA}-RDP78B04560A004500010005-4

NPIC/R-9/65


	Target	Coordinates	WAC	Target Numbers		
	, and the same of	Coordinates	WAC	BE	NPIC	
	105-59E TO 16-37N 106-34E.	4				
	105-59E TO 16-37N 106-34E. NO VEHICLES OBSERVED.					
25X1D	FOR THE EXAMPLE TO BE THE TOTAL					
			İ		ĺ	
ĺ					i	
					ĺ	
			[
0						
					1	
_						

7


Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010005-4

SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.



Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010005-4 SECTION III THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.



Approved For Release 2000/05/10 CIA-RDP78B04560A004500010005-4

NPIC/R-9/65

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

Coordinates--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

 $\underline{WAC} ext{--}This$ column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA


The photo reference data indicates the frame(s) on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY


Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

Approved For Release 2000/05/10ፎርሺኒ A-RDP78B04560A004500010005-4

NPIC R-9 65 ATTACHMENT 1



Approved For Release 2000/05/19 CRETA-RDP78B04560A004500010005-4 NPIC. R-9 65



Approved For Release 2000/05/19ECRETA-RDP78B04560A004500010005-4